



AWNINGS

TERRACE AWNING DAKAR






Colour	RAL
Electric drive	yes
Manual drive	yes
Maximum width	6.0 m
Maximum projection	3.6 m
Cassette	yes
Tilt angle	5°–40°
Fabric	150 patterns
Valance	yes


Standard construction colours:

-  RAL 9010 mat
-  RAL 9006 mat
-  RAL 1015 mat
-  RAL 8014 mat
-  FSM 71319


Cranks and gears are available in colours:
RAL 9010, RAL 1013, RAL 8017, RAL 7035, RAL 7016.



Roof rafter installation



Ceiling installation



Wall installation



Properties:

- Construction made from extruded aluminium
- Flyer's chains in the arms
- Roller tube support
- Cassette protects the fabric from weather conditions
- The use of gasket in the cassette additionally protects the fabric
- Possibility of using telescopic front bar support
- Easy operation with the use of full automatic
- Standard telescopic front bar support available

TERRACE AWNING CASABLANCA






Colour	RAL
Electric drive	yes
Manual drive	yes
Maximum width	6.0 m
Maximum projection	3.6 m
Cassette	yes
Tilt angle	5°-40°
Fabric	150 patterns
Valance	no


Standard construction colours:

- RAL 9010 mat
- RAL 9006 mat
- RAL 1015 mat
- RAL 8014 mat
- FSM 71319


Cranks and gears are available in colours:
RAL 9010, RAL 1013, RAL 8017, RAL 7035, RAL 7016.



Roof rafter installation



Ceiling installation



Wall installation



- Properties:**
- Construction made from extruded aluminium
 - Flyer's chains in the arms
 - Roller tube support with big widths
 - Cassette protecting the fabric from weather conditions
 - The use of gasket in the cassette additionally protects the fabric
 - Aluminium end caps
 - Easy operation with the use of full automatic

TERRACE AWNING



CORSICA




Colour	RAL
Electric drive	yes
Manual drive	no
Maximum width	7.0 m
Maximum projection	3.6 m
Cassette	yes
Tilt angle	5°–35°
Fabric	150 patterns
Valance	no

Standard construction colours:


-  RAL 9010 mat
-  RAL 9006 mat
-  RAL 1015 mat
-  RAL 8014 mat
-  FSM 71319



Roof rafter installation



Ceiling installation




Wall installation



Properties:

- Construction made from extruded aluminium
- Flyer's chains in the arms
- Square bar
- Cassette protecting the fabric from weather conditions
- Square bare facilitates the installation
- Easy operation with the use of full automatic
- Aluminium end caps
- Possibility of using LED lighting in the lower cover panel allows for using the awning also in the evenings

TERRACE AWNING JAMAICA






* Max. 5.9m width and 3.1m projection when with Volant

Colour	RAL
Electric drive	yes
Manual drive	yes
Maximum width*	7.0 m
Maximum projection*	3.6 m
Cassette	no
Optional hood	yes
Tilt angle	5°-40°
Fabric	150 patterns
Valance	yes
Volant valance - with manual drive	yes
• maximum height for soltis fabrics	1.5 m
• maximum height for acrylic fabrics	1.2 m


Standard construction colours:

- RAL 9010 mat
- RAL 9006 mat
- RAL 1015 mat
- RAL 8014 mat
- FSM 71319


Cranks and gears are available in colours:
RAL 9010, RAL 1013, RAL 8017, RAL 7035, RAL 7016.




Wall installation



Ceiling installation



Wall installation -
option with hood



Roof rafter installation



Properties:

- Construction made from extruded aluminium
- Flyer's chains in the arms
- Square bar
- Roller tube support with big widths
- Optional hood protects the rolled fabric from weather conditions
- Supporting bar facilitating installation
- Using Volant is not only additional protection from sun but it also increases privacy
- Easy operation with the use of full automatic
- Possibility of using telescopic front bar support
- Possibility of using overlapping arms of maximum projection 310 cm

TERRACE AWNING AUSTRALIA





Colour	RAL
Electric drive	yes
Manual drive	yes
Maximum width	7.0 m
Maximum projection	3.6 m
Cassette	no
Optional hood	no
Tilt angle	5°–60°
Fabric	150 patterns
Valance	yes


Standard construction colours:

-  RAL 9010 mat
-  RAL 9006 mat
-  RAL 1015 mat
-  RAL 8014 mat
-  FSM 71319


Cranks and gears are available in colours:
RAL 9010, RAL 1013, RAL 8017, RAL 7035, RAL 7016.



Roof rafter installation



Ceiling installation



Wall installation



Properties:

- Construction made from extruded aluminium
- Flyer's chains in the arms
- Square bar
- Roller tube support with big widths
- Supporting bar facilitating installation
- The construction allows for installation even with limited space
- Easy operation with the use of full automatic
- Possibility of using telescopic front bar support
- Possibility of using overlapping arms of maximum projection 310 cm

TERRACE AWNING

MALTA






Colour	RAL
Electric drive	yes
Manual drive	yes
Maximum width	4.1 m
Maximum projection	2.6 m
Cassette	no
Optional hood	no
Tilt angle	5°-70°(wall) 5°- 85°(ceiling)
Fabric	150 patterns
Valance	yes


Standard construction colours:

- RAL 9010 mat
- RAL 9006 mat
- RAL 1015 mat
- RAL 8014 mat
- FSM 71319

Cranks and gears are available in colours:
RAL 9010, RAL 1013, RAL 8017, RAL 7035, RAL 7016.



Ceiling installation



Wall installation



Properties:

- Construction made from extruded aluminium
- Flyer's chains in the arms
- Universal brackets for wall and ceiling installation
- Simplified mechanism of tilt angle regulation
- Easy operation with the use of full automatic
- Possibility of using telescopic front bar support